	Application No.	Applicant(s)
Notice of Allowability	10/500 000	IDISAWA HIDEAKI
	10/522,806 Examiner	IRISAWA, HIDEAKI Art Unit
	Daniel A Malla	0005
	Peggy A. Neils	2885
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>amendment filed June 5, 2997</u> .		
2. The allowed claim(s) is/are <u>1-3 and 9-12</u> .		
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
)
		· '
Attachment(s)	E	J. Datant Application
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) 	 5. ☐ Notice of Information 6. ☐ Interview Summation 	' '
2. Notice of Draffperson's Patent Drawing Review (P10-340)	Paper No./Mail I	Date
Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. Examiner's Amer	ndment/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's State	ement of Reasons for Allowance
of Biological Material	9. Other	
·		

Art Unit: 2885

Allowable Subject Matter

Claims 1-3 and 9-12 are allowed.

The following is an examiner's statement of reasons for allowance: Claims 1, 3 and 10-12 are allowable over the prior art because Claim 1 sets forth a portable signal light with a tubular lamp portion telescopically fitted to a tubular grip portion and battery operated light emitting diodes controlled by an infrared remote control and a main switch to turn the light emitting diodes on and off and a change switch for continuous lighting or a flashing lighting states. This combination of limitations was not shown or suggested by the prior art. Claims 2, 3 and 12 are allowable over the prior art because Claim 2 sets forth a portable signal light with a tubular bar-like support portion with a light emitting lamp portion telescopically fitted to a tubular grip portion and battery operated light emitting diodes controlled by an infrared remote control with the light emitting lamp portion detachably mounted to the support portion. This combination of limitations was not shown or suggested by the prior art. Claims 9-11 are allowable over the prior art because Claim 9 sets forth a portable signal light with a tubular bar-like support portion with a light emitting lamp portion telescopically fitted to a tubular grip portion and battery operated light emitting diodes controlled by an infrared remote control and a main switch to turn the light emitting diodes on and off and a change switch for continuous lighting or a flashing lighting states. This combination of limitations was not shown or suggested by the prior art.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

Page 2

Application/Control Number: 10/522,806

Art Unit: 2885

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications should be directed to Examiner Neils at (571) 272-2377 on a Monday or Thursday. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jong (James) Lee can be reached on (571) 272-7044.

/Stephen F. Husar/ Primary Examiner Page 3